MAY 17 2004 25

IN

PTO/SB/21 (08-03)
Approved for use through 08/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

i Hadas the Dan	anuada Da	duction Act of 100E						EPARTMENT OF COMMERCE	
Under the Pac	erwork Re	eduction Act of 1995.	no berson	s are required to respond to a colle Application Number			s it disbia	vs a valid OMB control number.	
TDANCHITTAL				Filing Date		10/709,446			
TRANSMITTAL					05/06/	05/06/2004			
FORM				First Named Inventor	In-Shu	In-Shuen LEE			
(to be used for a	all corresp	ondence after initial	filing)	Art Unit				· ···	
				Examiner Name					
			<u> </u>	Attorney Docket Number					
Total Number of	Pages in `	This Submission	3	, morroy books remoor	LITPO	024USA			
·	ENCLOSURES (Check all that apply)								
Fee Trans	mittal Fo	orm		Drawing(s)				ance communication ogy Center (TC)	
Fe	e Attach	ed	ı 🔲 ا	Licensing-related Papers			Appeal Communication to Board of Appeals and Interferences		
Amendme	ent/Reply		📙	Petition '				nmunication to TC ice, Brief, Reply Brief)	
	, ,			Petition to Convert to a				Information	
	ter Final			Provisional Application Power of Attorney, Revocation					
L Af	fidavits/d	eclaration(s)		Change of Correspondence Ac					
Extension	of Time	Request		Terminal Disclaimer			ner Enck ntify bek	osure(s) (please ow):	
		•	lm.	Request for Refund			•	,	
Express A	Coangoni	nent Request		•					
Informatio	n Disclos	sure Statement		CD, Number of CD(s)					
Certified Copy of Priority Document(s)		Remar	rks						
Response to Missing Parts/ Incomplete Application									
Response to Missing Parts									
un لـــا	ider 37 C	FR 1.52 or 1.53							
		SIGNA	TURE C	OF APPLICANT, ATTOR	RNEY, C	R AGENT	Γ		
Firm or	Winst	on Hsu, Reg. I	No.: 41,	526					
Individual name									
Signature	Signature 11/11/1900 House								
Date	Date to the property of the pr								
CERTIFICATE OF TRANSMISSION/MAILING									
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.									
Typed or printed name									
Signature					· <u>-</u>		Date		

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/17 (10-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE aperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAI

Complete if Known

10/709,446

Application Number

for FY 2004	l	Filing Date 05/06/2004						
Effective 10/01/2003. Patent fees are subject to annual revision.		First Named Inventor In		tor In-Shue	In-Shuen LEE			
		Exam	iner Na	ame		<u> </u>		
Applicant claims small entity status. See 37 CFR 1.27		Art Ur	nit					
TOTAL AMOUNT OF PAYMENT (\$) 0.00		Attorney Docket No. LITP0024USA						
METHOD OF PAYMENT (check all that apply)				FEE	CALCULA	TION (conti	nued)	
Check Credit card Money Other None		DDITI			S			
Deposit Account:		Entity						
Deposit Account 50-3105	Fee Code		Code	Fee (\$)	Fee I	Description		Fee Paid
Number Denosit	1051		2051		Surcharge - late	-		
Account Name North America Intellectual Property Corp.	1052	50	2052		Surcharge - late cover sheet	provisional filli	ng ree or	
The Director is authorized to: (check all that apply)	1053		1053		Non-English spe			
Charge fee(s) indicated below Credit any overpayments	i i	2,520		-	For filing a reque	•		
Charge any additional fee(s) or any underpayment of fee(s)	1804	920*	1804		Requesting publi Examiner action		pnor to	
Charge fee(s) indicated below, except for the filing fee to the above-identified deposit account.	1805	1,840*	1805	1,840*	Requesting pub Examiner action		after	
	1251	110	2251	55	Extension for re		month	0.00
FEE CALCULATION 1. BASIC FILING FEE	1252	420	2252	210	Extension for re	eply within seco	ond month	
Large Entity Small Entity	1253	950	2253	475	Extension for re	eply within third	l month	
Fee Fee Fee Fee Fee Description Fee Paid	1254	1,480	2254	740	Extension for re	eply within four	th month	
Code (\$) Code (\$) 1001 770 2001 385 Utility filing fee	1255	2,010	2255	1,005	Extension for re	eply within fifth	month	
1002 340 2002 170 Design filing fee	1401	330	2401	165	Notice of Appea	al		
1003 530 2003 265 Plant filing fee	1402	330	2402		Filing a brief in		appeal	
1004 770 2004 385 Reissue filing fee	1403	290	2403	145	Request for ora	I hearing		
1005 160 2005 80 Provisional filing fee	1451	1,510	1451	1,510	Petition to instit	ute a public us	e proceeding	
SUBTOTAL (1) (\$) 0.00	1452	110	2452	55	Petition to reviv	e - unavoidable	Ð	
	1453	1,330	2453	665	Petition to reviv	e - unintention	al	
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE	1501	1,330	2501	665	Utility issue fee	(or reissue)		
Extra Claims below Fee Paid	1502	480	2502	240	Design issue fe	e		
Total Claims Z0** = X =		640	2503	320	Plant issue fee			
Claims L 3** = L ^ L =	1460	130	1460	130	Petitions to the	Commissione	r	
Multiple Dependent	1807	50	1807	50	Processing fee	under 37 CFR	1.17(q)	
Large Entity Small Entity Fee Fee Fee Fee Fee Description	1806	180	1806		Submission of I			
Code (\$) Code (\$)	8021	40	8021	40	Recording each	patent assign	ment per	
1202 18 2202 9 Claims in excess of 20	1809		2809	385	property (times	sion after final		
1201 86 2201 43 Independent claims in excess of 3 1203 290 2203 145 Multiple dependent claim, if not paid	1810	770	2810	385	(37 CFR 1.129) For each addition		to be	
1204 86 2204 43 ** Reissue independent claims					examined (37 C	CFR 1.129(b))		
over original patent		770			Request for Co			
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent	1802	900	1802	900	Request for ex of a design app		nation	
SUBTOTAL (2) (\$) 0.00		r fee (sp	• • •				<u></u>	
**or number previously paid, if greater; For Reissues, see above	*Red	uced by	Basic F	Filing Fe	ee Paid S	SUBTOTAL (3) (\$) 0.00	
SUBMITTED BY (Complete (if applicable)						applicable))		
Name (Print/Type) Winston Hsu	- /	Registra (Attorney)	tion No. (Agent)	41,	526	Telephone 8	86289237350)
Signature Musica	2	Los	1	11		Date	5/13/	12000

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/02B (11-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Supplemental Priority Data Sheet

Additional foreign applications:						
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES NO		
092112383	Taiwan R.O.C	05/07/2003				
•						

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.





中華民國經濟部智慧財產局

INTELLECTUAL PROPERTY OFFICE MINISTRY OF ECONOMIC AFFAIRS REPUBLIC OF CHINA

茲證明所附文件,係本局存檔中原申請案的副本,正確無訛, 其申請資料如下

This is to certify that annexed is a true copy from the records of this office of the application as originally filed which is identified hereunder:

西元 2003 年 0.5 Application Date

092112383

Application No.

建興電子科技股份有限公司 Applicant(s)

Director Genera







2003 發文日期: 西元 Issue Date

Serial No.

09220721670



ගව ගව ගව ගව ගව ගව ගව ගව

申請日期:	IPC分類
申請案號:	

(以上各樣	由本局填	發明專利說明書
_	中文	薄型光碟機托盤式光碟片煞車機構
發明名稱	英 文	Disk braking mechanism
	姓 名(中文)	1. 李英舜
=	(英文) 	1. Lee In-Shuen
發明人 (共1人)	國 籍 (中英文)	1. 中華民國 TW
()(1)	住居所 (中 文)	1. 新竹市科學園區力行路12號5樓
	住居所 (英 文)	1.5F, No. 12, Li-Hsin Road, Science-Based Industrial Park, Hsinchu 300, Taiwan R.O.C.
	姓 名 (中文)	1. 建興電子科技股份有限公司
	名稱或 姓 名 (英文)	1. LiteON IT Corporation
=	國籍(中英文)	1. 中華民國 TW
申請人(共1人)	住居所 (營業所) (中 文)	1. 新竹市科學園區力行路12號5樓 (本地址與前向貴局申請者不同)
	(營業所) (英 文)	1.5F, No. 12, Li-Hsin Road, Science-Based Industrial Park, Hsinchu 300, Taiwan R.O.C.
	代表人(中文)	1. 宋恭源
	代表人 (英文)	. Raymond Soong



四、中文發明摘要 (發明名稱: 薄型光碟機托盤式光碟片煞車機構)

本發明係關於一種用於光碟機之光碟片煞車機構,該機構係直接設計於光碟機托盤上,能更直接並有效地停止旋轉中的光碟片,不因外蓋或組裝位置變異而影響煞車功能。

伍、本案代表圖為

- (一)、本案代表圖為第二八__圖(
- 二)、本案代表圖之元件代表符號簡單說明:
- 2煞車元件
- 3煞車連桿
- 4 推 桿
- 5彈性構件
- 6彈性元件
- 7外蓋
- 9光碟片
- 10a 右底部

陸、英文發明摘要 (發明名稱: Disk braking mechanism)

The present invention is directed to a disk braking mechanism for use in an optical disk reading device. The present invention is designed on the tray of the optical disk reading device directly. It can stops the revolving disc more directly and effectively.



四、中文發明摘要 (發明名稱:薄型光碟機托盤式光碟片煞車機構)

- 14 左 導 柱
- 15 右 導 柱
- 16 定位勾
- 17定位銷
- 18 定位銷
- 19 定位銷
- 20 定位槽

陸、英文發明摘要 (發明名稱:Disk braking mechanism)



一、本案已向			
國家(地區)申請專利	申請日期	案 號	主張專利法第二十四條第一項優先權
			•
二、□主張專利法第二十.	五條之一第一項優先	· 椎:	
申請案號:			
日期:			
三、主張本案係符合專利	法第二十條第一項[]第一款但書或[]第二款但書規定之期間
日期:			
四、□有關微生物已寄存:	於國外:		
寄存國家:			
寄存機構:			
寄存日期:			
寄存號碼:	مرادر المرادر	- + + 1/4 14 \	
□有關微生物已寄存	於國內(本局所指定	之奇仔機構):	
寄存機構: 寄存日期:			
寄存號碼:			
可行弧啊. □熟習該項技術者易;	於獲得,不須寄存。		•
			·

五、發明說明(1)


【發明所屬之技術領域】

本發明是有關於一種用於光碟機,而且特別是有關於一種使用於薄型光碟機之光碟片煞車機構。

【先前技術】

近年來,由於電腦週邊設備不斷的進步,且其價格也不斷 下滑,其中,光碟機其價格已為一般人所接受。薄型光碟 機為筆記型電腦之週邊儲存裝置,隨著消費者對筆記型電 腦接受度的提高,全球市場對筆記型電腦需求殷切,未來 市場成長性相當看好,且我國目前已成為全球筆記型電腦 的代工王國,國外大廠紛紛轉單至台灣生產,預期將進一 步带動薄型光碟機的市場需求。而隨著技術的日益進步, 光碟機的讀取速度也朝高轉速發展。如第一圖所示,一般 習知薄型光碟機係將光碟片9定位於習知薄型光碟機1之主 軸 馬 達 的 轉 盤12 上 , 將 托 盤10 滑 入 習 知 薄 型 光 碟 機1 中 , 使光碟片9高速旋轉,再利用光學原理來讀取儲存光碟片9 上的資料。當將光碟片9由習知薄型光碟機1退出時,驅動 轉盤12之主軸馬達的電力會自動停止供應,然而即使如 此,轉盤12仍會因為慣性而繼續轉動。因此,為了使轉盤 12 停止轉動,習知薄型光碟機乃在上蓋或下蓋設計一煞車 裝置,當光碟片在進片及退片時會碰到此裝置而停止旋





五、發明說明 (2)

轉。如第二圖所示,光碟片9進入習知薄型光碟機1時,會與設於下蓋13之煞車裝置11接觸而停止轉動;如第三圖所示,光碟片9退出習知薄型光碟機1時,會與設於下蓋13之煞車裝置11接觸而停止轉動,如此可確保光碟片9是在完全停止轉動的狀態下才從習知薄型光碟機1中排出,如此,使用者便可立即更換光碟片。但此方式會因上下蓋形狀與機台組裝位置而影響此煞車裝置所在位置。因此,本發明提出一種全新的設計,係直接將煞車機構設計於光碟機托盤上,能更直接並有效地停止旋轉中的光碟片,不因外蓋或組裝位置變異而影響煞車功能。

【發明內容】

發明目的

本發明的目的係提供一種能用於光碟機之光碟片煞車機構,該機構係直接設計於光碟機托盤上,能更直接並有效地停止旋轉中的光碟片,不因外蓋或組裝位置變異而影響煞車功能。

【發明特徵】

本發明提出一種用於光碟機之光碟片煞車機構,其簡述如



五、發明說明(3)

下:

本發明係關於一種用於光碟機之光碟片煞車機構,該機構係直接設計於光碟機托盤上,能更直接並有效地停止旋轉中的光碟片,不因外蓋或組裝位置變異而影響煞車功能。


為了使 貴審查委員能更進一步瞭解本發明特徵及技術內容,請參閱以下有關本發明之詳細說明與附圖,然而所附圖式僅提供參考與說明用,並非用來對本發明加以限制。

【發明實施方式】

以下描述的本發明之實施例係與薄型光碟機相關。然而,本發明可適用於所有光碟機產品,包括唯讀式光碟機(CD-ROM)、可錄式光碟機(CD-RW)、半高式光碟機(Half Height)、COMBO光碟機、DVD-R/RW光碟機、外接式光碟機及所有光學媒體紀錄機及播放機等。

如第四圖所示,薄型光碟機1具有托盤10,而托盤10上有一轉盤12用來供光碟片9定位並高速旋轉以讀取儲存光碟片9上的資料。如第五圖所示為將光碟片9由薄型光碟機1 退出時各元件相關位置之立體示意圖;而第六圖所示為將






五、發明說明(4)

光碟 片9及下蓋13從薄型光碟機1移除後各元件相關位置之 立體示意圖,其中,本發明之光碟片煞車機構8乃是位於 托盤10之右底部10a上。如第七圖所示,本發明之光碟片 5 、 彈 性 元 件 6 及 外 蓋 7 。 煞 車 元 件 2 具 有 下 底 部 2 1 係 用 來 固 接 於 煞 車 連 桿 3 的 延 伸 部 3 3 ; 其 中 , 接 觸 部 2 2 係 與 光 碟 片 9 之圓周接觸來使得光碟片9在退出薄型光碟機1前停止轉 動 ; 而 煞 車 元 件 2 可 為 海 棉 或 具 等 效 功 能 之 柔 軟 材 料 所 製 成 , 在 本 實 施 例 中 , 煞 車 元 件 2 係 由 海 棉 所 製 成 。 煞 車 連 桿3 具 有 定 位 孔31 、 左 凸 出 部32 、 延 伸 部33 、 推 擠 部35 、 右侧部36及右凸出部34;定位孔31係樞接於托盤右底部 10a 上 之 定 位 銷17 上 。 推 桿4 具 有 滑 槽41 、 定 位 勾42 、 左 突 緣 43 及 右 突 緣 44 ; 滑 槽 41 可 供 托 盤 右 底 部 10a 上 之 導 柱 14、15 於 其 內 滑 動 ; 左 突 緣 43 係 與 煞 車 連 桿 3 之 右 凸 出 部 34 及 右 側 部36 相 接 觸 並 使 相 關 元 件 作 動 使 煞 車 元 件2 之 接 觸 部 2 2 與 光 碟 片 9 之 圓 周 部 接 觸 或 分 離 。 彈 性 構 件 5 係 利 用 定位1.51 固接於托盤右底部1.0a 上之定位銷1.8 上,其推擠 部 5 2 與 煞 車 連 桿 3 之 推 擠 部 3 5 相 接 觸 , 用 來 提 供 一 推 擠 力 給 煞 車 連 桿 3 來 迫 使 碟 片 停 止 轉 動 ; 彈 性 構 件 5 可 為 彈 片 或 具 等 效 功 能 之 元 件 , 在 本 實 施 例 中 , 彈 性 構 件 5 係 為 一 彈 片。彈性元件6係包括主要繞線61及定位部62;主要繞線 61 係 套 設 於 托 盤 右 底 部 10a 上 之 定 位 銷 19 上 ; 定 位 部 62 則 勾設於推桿4之定位勾42上,用來提供一帶動煞車元件2之 接觸部22與光碟片9圓周部接觸之扭力;彈性元件6可為金






五、發明說明 (5)

屬或塑性材料所製成的彈簧在,本實施例中,彈性元件6係為一扭轉彈簧。外蓋7具有凸出部71及定位槽72,係用來固定並包覆本發明之光碟片煞車機構8之其他元件;其中凸出部71與托盤右底部10a上之定位槽20樞接;而定位槽72則與托盤右底部10a上之定位勾16樞接。

請參閱第八圖,係為托盤右底部10a之細部放大及本發明光碟片煞車機構8之各元件相關位置關係圖。將煞車元件2之下底部21 固接於煞車連桿3 的延伸部33上,而煞車連桿3 則利用定位孔31 樞接於托盤右底部10a上之定位銷17上;推桿4利用滑槽41 樞接於托盤右底部10a上之左導柱14及右導柱15上;彈性元件6 則利用主要繞線61 套設於托盤右底部10a上之定位銷19上,定位部62 則勾設於推桿4之定位勾42上;彈性構件5 則固接於托盤右底部10a上之定位銷18上,其推擠部52 則與煞車連桿3 之推擠部35 相接觸,而煞車連桿3 之左凸出部32 則可確保本發明之光碟片煞車機構8 作動中,推擠部52 不致於脫出煞車連桿3 之左凸出部32;外蓋7則利用凸出部71 與托盤右底部10a上之定位槽20樞接及定位槽72則托盤右底部10a上之定位勾樞接,來固定並包覆本發明之光碟片煞車機構8之其他元件。如此組合完成本發明之光碟片煞車機構8。

請參閱第五圖,當欲將光碟片9由退出狀態送入薄型光碟機1時,推桿4之右突緣44會碰觸下蓋13之下蓋側壁





五、發明說明 (6)

13a,使其受到一侧向推力。如第九圖所示為托盤右底部 10a之細部放大及本發明光碟片煞車機構8完成進片時之組合仰視圖,其中,外蓋7已移除;當推桿4之右突緣44受到一側向(A方向)推力,此時,右導柱15會滑至滑槽41之右極限(位置a)位置,使得推桿4往左移動;而左突緣43會與煞車連桿3之右凸出部34相接觸,進而推動煞車連桿3做順時針方向(B方向)旋轉,帶動煞車元件2之接觸部22與光碟片9之圓周部分離,並推擠彈性構件5之推擠部52。如第十圖所示為使用本發明光碟片煞車機構8之薄型光碟機1完成進片時之立體示意圖。

請參閱第四圖,當欲將光碟片9由進片狀態退出薄型光碟機1時,推桿4之右突緣44受到下蓋13之下蓋側壁13a的拘束消失,右突緣44會往側向(C方向)彈出。

如第十一圖所示為托盤右底部10a之細部放大及本發明光碟片煞車機構8完成退片時之組合仰視圖,其中,外蓋7已移除;當推桿4之右突緣44往側向(C方向)彈出,此時,由於彈性元件6提供之扭力,左導柱14會滑至滑槽41之左極限(位置b)位置,使得推桿4往右移動;此時受到彈性構件5的推擠力會使得煞車連桿3做逆時針方向(D方向)旋轉而恢復到原始位置,而左突緣43會與煞車連桿3之右側部36相接觸,進而使煞車元件2之接觸部22與光碟片9之圓周部接觸,利用煞車元件2與光碟片9間的摩擦力及彈性構件5的推擠力迫使光碟片9停止轉動。如第十二圖所示為使用





五、發明說明 (7)

本發明光碟片煞車機構8之薄型光碟機1完成退片時之立體示意圖。

經由以上實施例所述,本發明之光碟片煞車機構係直接設計於光碟機托盤上,在退出光碟片時能更直接並有效地停止旋轉中的光碟片,不因外蓋或組裝位置變異而影響煞車功能。

綜上所述,雖然本發明已以較佳實施例揭露如上,然 其並非用以限定本發明,任何熟習此技藝者,在不脫離本 發明之精神和範圍內,當可作各種之更動與潤飾,因此本 發明之保護範圍當視後附之申請專利範圍所界定者為準。



圖式簡單說明

第一圖係習知薄型光碟機完成進片後之立體示意圖;

第二圖係習知薄型光碟機進片時之立體示意圖;

第三圖係習知薄型光碟機完成退片後之立體示意圖;

第四圖係使用本發明光碟片煞車機構之薄型光碟機完成進片後之立體示意圖;

第五圖係使用本發明光碟片煞車機構之薄型光碟機完成退片後之立體示意圖;

第六圖係薄型光碟機各元件相關位置之立體示意圖;

第七圖係本發明光碟片煞車機構各元件之分解立體圖;

第八圖係本發明光碟片煞車機構之各元件相關位置關係圖;

第九圖係本發明光碟片煞車機構完成進片時之組合仰視圖;

第十圖係使用本發明光碟片煞車機構之薄型光碟機完成進片時之立體示意圖;

第十一圖係本發明光碟片煞車機構完成退片時之組合仰視圖;以及

第十二圖係使用本發明光碟片煞車機構之薄型光碟機完成退片時之立體示意圖;

【圖號說明】

1 習知薄型光碟機



圖式簡單說明

- 2煞車元件
- 21 下底部
- 22接觸部
- 3煞車連桿
- 31 定位孔
- 32左凸出部
- 33延伸部
- 34右凸出部
- 35 推 擠 部
- 36 右 側 部
- 4 推 桿
- 41 滑 槽
- 42 定位勾
- 43 左 突 緣
- 44 右突緣
- 5彈性構件
- 51 定位孔
- 52推擠部
- 6彈性元件
- 61主要繞線
- 62 定 位 部
- 7外蓋
- 71 凸 出 部
- 72 定 位 槽



圖式簡單說明

- 8本發明光碟片煞車機構
- 9光碟片
- 10 托 盤
- 10a右底部
- 11習知薄型光碟機之煞車裝置
- 12 轉 盤
- 13 下 蓋
- 13a 下 蓋 側 壁
- 14 左 導 柱
- 15 右 導 柱
- 16定位勾
- 17定位銷
- 18 定位銷
- 19 定位銷
- 20 定位槽



- 1. 一種光碟機之光碟片煞車機構,包括:
- 一機構部;
- 一 煞 車 元 件 , 用 來 與 光 碟 片 之 圓 周 部 接 觸 , 並 迫 使 光 碟 片 停 止 轉 動 ;
- 一煞車連桿,係樞接於該機構部上,並與該煞車元件固接,使煞車元件與光碟片之圓周部接觸或分離;
- 一推桿,係樞接於該機構部上,用來帶動該煞車連桿,其上並有一滑槽及一定位勾;
- 一彈性元件,係樞接於該機構部上,其一端勾附於該推桿之定位勾上,用來提供一帶動該煞車元件與光碟片圓周部接觸之扭力;
- 一彈性構件,係樞接於該機構部上,用來提供一推擠力給該煞車連桿來迫使光碟片停止轉動;以及
- 一外蓋,係固定於該機構部上並包覆上述元件。
- 2. 如申請專利範圍第1項所述之光碟片煞車機構,其中該煞車元件可為海棉或具等效功能之柔軟材料所製成。
- 3. 如申請專利範圍第1項所述之光碟片煞車機構,其中該彈性構件可為彈片或具等效功能之元件。
- 4. 如申請專利範圍第1項所述之光碟片煞車機構,其中該彈性元件可為金屬或塑性材料所製成的彈簧。




- 5. 如申請專利範圍第1項所述之光碟片煞車機構,其中該機構部進一步包括一定位勾,用來供該外蓋定位勾附用。
- 6. 如申請專利範圍第1項所述之光碟片煞車機構,其中該機構部進一步包括一左導柱及一右導柱,用來與該推桿上之滑槽作動用。
- 7. 如申請專利範圍第1項所述之光碟片煞車機構,其中該機構部進一步包括複數個定位銷,用來供該煞車連桿、該彈性元件及該彈性構件定位樞接用。
- 8. 如申請專利範圍第1項所述之光碟片煞車機構,其中該機構部進一步包括一定位槽,用來供該外蓋定位樞接用。



往側向彈出,此時,由於該彈性元件提供之扭力,該機構部之左導柱會滑至該推桿沒左極限位置,使得該推桿往右移動;此時受到該彈性構件的推擠力會使得該煞車連桿做逆時針方向旋轉而恢復到原始位置,而該推桿之左與餘會與該煞車連桿之右側部相接觸,進而使該煞車元件與光碟片之圓周部接觸,利用該煞車元件與光碟片間的摩擦力及該彈性構件的推擠力迫使光碟片9停止轉動。

- 10. 一種光碟片讀取寫入裝置,包括:
- 一托盤,其上有一轉盤,用來固定並高速旋轉光碟片以存取資料;
- 一下蓋,用來承載托盤;以及
- 一光碟片煞車機構,係安裝於該托盤,用來退出光碟片時有效地停止旋轉中的光碟片。
- 11. 如申請專利範圍第10項所述之光碟片讀取寫入裝置,其中該光碟片煞車機構進一步包括:
- 一機構部;
- 一煞車元件,用來與光碟片之圓周部接觸,並迫使光碟片停止轉動;
- 一煞車連桿,係樞接於該機構部上,並與該煞車元件固接,使煞車元件與光碟片之圓周部接觸或分離;
- 一推桿,係樞接於該機構部上,用來帶動該煞車連桿,其






上並有一滑槽及一定位勾;

- 一彈性元件,係樞接於該機構部上,其一端勾附於該推桿之定位勾上,用來提供一帶動該煞車元件與光碟片圓周部接觸之扭力;
- 一彈性構件,係樞接於該機構部上,用來提供一推擠力給該煞車連桿來迫使光碟片停止轉動;以及
- 一外蓋,係固定於該機構部上並包覆上述元件。
- 12. 如申請專利範圍第11項所述之光碟片煞車機構,其中該煞車元件可為海棉或具等效功能之材料所製成。
- 13. 如申請專利範圍第11項所述之光碟片煞車機構,其中該彈性構件可為彈片或具等效功能之元件。
- 14. 如申請專利範圍第11項所述之光碟片煞車機構,其中該彈性元件可為金屬或塑性材料所製成的彈簧。
- 15. 如申請專利範圍第11項所述之光碟片煞車機構,其中該機構部進一步包括一定位勾,用來供該外蓋定位勾附用。
- 16. 如申請專利範圍第11項所述之光碟片煞車機構,其中該機構部進一步包括一左導柱及一右導柱,用來與該推桿上之滑槽作動用。




- 17. 如申請專利範圍第11項所述之光碟片煞車機構,其中該機構部進一步包括複數個定位銷,用來供該煞車連桿、該彈性元件及該彈性構件定位樞接用。
- 18. 如申請專利範圍第11項所述之光碟片煞車機構,其中該機構部進一步包括一定位槽,用來供該外蓋定位樞接用。







與光碟片之圓周部接觸,利用該煞車元件與光碟片間的摩索力及該彈性構件的推擠力迫使光碟片9停止轉動。












第 一 圖




第二圖




第 三 圖




第四圖





第 五 圖




第 六 圖









第 七 圖




第 八 圖




第 九 圖



第 十 圖



第 十一 圖



第 十二 圖